

For 30 years, Kapro has been making the finest quality spirit levels, laser levels, and layout tools, marking and measuring tools. We have built a reputation as the industry's foremost innovator, and we are renowned for our quality products, outstanding service, added value, and cutting-edge designs.

Kapro owns and operates state-of-the-art facilities in the United States, and China. Its manufacturing facilities are certified compliant with ISO standards 9001, 14001, and SA8000.

Kapro brings the world Tools with Vision™-products that are market leaders in excellence - innovation, design, quality and value.

Kapro represents excellence and success, throughout the world. Selected ranges are locally distributed by Safe Top (Pty) Ltd.



Levels




Measuring



Laser

Levels



As any tradesperson knows, the quality of the job depends not just on skill but on using the right tools. And no professional contractor would be without a top-quality spirit level. Kapro is one of the world's leading level manufacturers, with the most comprehensive range of levels available today, offering the right measuring solution for every tradesperson and for every job.

150 I-BEAM LEVEL

Quality I-Beam Level

Features:

- Plumb Site® Dual-View™ vial
- 3 cylindrical vials
- V-groove base for levelling pipes
- Sturdy aluminium frame



Stock Code	Size	Packaging	QTY
KP150040	40cm	Individual	1
KP150060	60cm	Individual	1
KP150080	80cm	Individual	1
KP150100	100cm	Individual	1
KP150120	120cm	Individual	1
KP150150	150cm	Individual	1



779 SPIRIT™ LEVEL

Quality Box Level

Features:

- 2 solid acrylic vials
- Shock absorbing rubber end caps
- Accuracy: 0.5mm/m
- Milled surface on lengths up to 150cm
- Wall grip feature



Stock Code	Size	Packaging	QTY
KP779040	40 cm	Individual	1
KP779050	50 cm	Individual	1
KP779060	60 cm	Individual	1
KP779080	80 cm	Individual	1
KP779100	100 cm	Individual	1
KP779120	120 cm	Individual	1
KP779150	150 cm	Individual	1
KP779180	180 cm	Individual	1
KP779200	200 cm	Individual	1



Levels

781P GENESIS[™] SPIRIT LEVEL


Contractor Box Level

Features:

- Plumb Site[®] Dual-View[™] vial
- 2 solid acrylic, epoxy locked vials
- Milled surface on lengths up to 120cm
- Accuracy : 0.5mm/m



Stock Code	Size	Packaging	QTY
KP781060	60cm	Individual	1
KP781080	80cm	Individual	1
KP781100	100cm	Individual	1
KP781120	120cm	Individual	1



781HD GENESIS[™] SPIRIT LEVEL

Contractor Box Level

Features:

- Plumb Site[®] Dual-View[™] vial
- 3 solid acrylic, epoxy locked vials
- Milled surface on lengths up to 150cm
- Shock absorbing rubber end caps
- Accuracy : 0.5mm/m



Stock Code	Size	Packaging	QTY
KP789060H	60cm	Individual	1
KP789080H	80cm	Individual	1
KP789100H	100cm	Individual	1
KP789120H	120cm	Individual	1
KP789150H	150cm	Individual	1



Levels

995 VULCAN

The New Generation

Features:

- 2 vertical, one with Plumb Site[®] Dual View[™] vial
- 1 magnified horizontal vial for the clearest view of the bubble
- Accuracy: 0.5 mm/m
- Reinforced profile to maintain accuracy in tough work conditions
- 2 finely milled surfaces (up to 120cm models) with V-Grooves for pipe measurements
- Rubber shockproof end caps to protect the level's integrity
- Ergonomic Bi-material handle for a comfortable grip



Stock Code	Size	Packaging	QTY
KP955060	60cm	Individual	1
KP955080	80cm	Individual	1
KP955100	100cm	Individual	1
KP955120	120cm	Individual	1
MAGNETIC			
KP995M060	60cm	Individual	1



905 CONDOR

Professional Box Level with OPTIVISION Red

Features:

- 2 solid acrylic shockproof vials
- OPTIVISION[™] Red horizontal vial creates highly visible red bubble edges, for exact placement between the reading lines and optimal vision in bright & low light
- Tilted, tri-surface horizontal vial: direct line of sight for easy viewing and superior vial protection
- Gradient lines inside the horizontal vial for measuring 2% grade
- Plumb Site[®] Dual-View[™] vial with RedEffect[™] for a clear plumb view
- Reinforced profile with bridge at horizontal vial for increased strength and a continuous marking edge
- Finely milled surface on lengths up to 120 cm
- Ergo Grip[™] rubber handle with wall-grip feature
- Oversized shock-absorbing rubber end caps
- Accuracy: 0.5mm/m
- Available with rare-earth magnets



Stock Code	Size	Packaging	QTY
KP905060	60cm	Individual	1
KP905080	80cm	Individual	1
KP905100	100cm	Individual	1
KP905120	120cm	Individual	1

Levels

770 EXODUS

The Ruler in Levels

Features:

- 3 solid acrylic shockproof vials:
- Horizontal with gradient lines up to 2%
- Vertical and 45°
- 60cm ruler along the profile
- Finely milled surface
- Shock absorbing rubber end caps
- Accuracy: 0.5 mm/m
- Wall Grip feature



Stock Code	Size	Packaging	QTY
KP770100	100cm	Individual	1



773 DRYWALL

Drywall Level 90cm

Features:

- Aluminium box level profile with stud slots and markers at 40 and 60cm for standard stud layout
- Stud slots with rare-earth magnets – insert and hold metal studs for quick and easy moving and setting
- Find studs behind drywall sheets with layout markers on the level's side
- 2 Epoxy locked, solid acrylic vials:
- 1 Plumb Site® Dual-View™ vertical vial
- 1 horizontal vial
- Milled surface
- Shockproof end caps
- Accuracy: 0.5mm/m



Stock Code	Size	Packaging	QTY
KP773090	90cm	Individual	1



730 TOPCAST™

Mason's cast level

Features:

- 2 solid acrylic vials
- 2 heavy-duty cast aluminium "anvil" strike pads for trowel blows during tile work
- Drill bit diameter gauge in the level's profile
- Milled surface
- Accuracy: <0.5 mm/m



Stock Code	Size	Packaging	QTY
KP730060	60cm	Individual	1



Levels

985D DIGIMAN

Professional Magnetic Digital Level

Features:

- Plumb Site® Dual-View™ vial, solid acrylic vials, Ergo Grip™ handles, shockproof end caps
- 45° tilted LCD display with backlight
- 180° readout – display remains straight when the level is upside-down
- Digital accuracy: 0.1° at level and plumb, 0.2° other angles
- HOLD function
- MODE function: Degree/percentage/pitch
- Memory recall – 9 measurements
- Buzzer at 0°, 45° and 90°
- Recalibration function and “False Zero”
- Rainproof & dust resistant
- 9V battery + battery indicator
- Large silicone buttons which are easy to use while wearing gloves
- Two finely milled surfaces with rare earth magnets



Stock Code	Size	Packaging	QTY
KP985060	60cm	Carded	1

985D-L DIGIMAN

Professional Magnetic Digital Level with Laser Pointer

Features:

- Laser Pointer – align the level's slope with a distant point – up to 50m
- Plumb Site® Dual-View™ vial, solid acrylic vials
- 45° tilted LCD display with backlight
- 180° readout – display remains straight when the level is upside-down
- Digital accuracy: 0.1° at level and plumb, 0.2° other angles
- HOLD function
- MODE function: Degree/percentage/pitch
- Memory recall – 9 measurements
- Buzzer at 0°, 45° and 90°
- Recalibration function and “False Zero”
- Rainproof & dust resistant
- 9V battery + battery indicator
- Large silicone buttons which are easy to use while wearing gloves
- Two finely milled surfaces with rare earth magnets
- 1/4" thread on the level's base for easy mounting to a tripod



Stock Code	Size	Packaging	QTY
KP985L060	60cm	Carded	1

Levels

229 TORPEDO LEVEL

Toolbox Level 9" (23cm)

Features:

- 3 easy-to-read vials (horizontal, vertical, 45°)
- Magnetic V-groove for pipe/conduit
- Available in a 20 piece display box



Stock Code	Size	Packaging	QTY
KP229	23 cm	Carded	1



227 TOOLBOX LEVEL

Toolbox Level 9" (23cm)

Features:

- 3 easy-to-read vials (horizontal, vertical, 45°)
- Magnetic V-groove for pipe/conduit
- Tough rubber end caps
- Available in a 20 piece display box



Stock Code	Size	Packaging	QTY
KP227	23cm	Carded	1



724 TOOLBOX LEVEL

Cast Toolbox Level

Features:

- 2 solid acrylic shockproof vials – horizontal and vertical
- Cast aluminium body
- Tough, lightweight design
- Finely milled surface
- Accuracy: 0.5mm/m



Stock Code	Size	Packaging	QTY
KP724025	25cm	Carded	1



Levels

935 OPTIVISION™ RED TORPEDO

25cm Magnetic Cast Aluminium Level

Features:

- OPTIVISION™ Red horizontal vial creates highly visible red bubble edges, for exact reading and optimal vision in bright & low light
- Tilted horizontal vial with epoxy locking for direct line of sight viewing
- Vial Gradient Lines for measuring slopes up to 2% grade
- 3 Unbreakable Acrylic Shockproof Vials
- Accuracy: 0.5mm/m
- Angle Finder with gradient markings every 5° to easily find the degree of any slope
- Rare-Earth Magnets for the strongest grip to any metal surface
- Fine Milled Surface with V-groove for accurate and easy placement on pipes and curved surfaces
- Advanced Impact Resistance end caps to protect the level's integrity.



Stock Code	Size	Packaging	QTY
KP935025	25cm	Carded	1



Levels

946 SMARTY

Magnetic cast aluminium level 10cm

Features:

- OPTIVISION™ Red horizontal vial - in solid acrylic - creates highly visible RED bubble edges
- Gradient lines for measurements up to 2%
- Durable cast aluminium body with shockproof rubber
- Large base with Rare-earth magnets
- Clip belt housing
- Precision: 0.5mm/m



Stock Code	Size	Packaging	QTY
KP946	10 cm	Carded	1



246 HANDY LEVEL

Handy Level 10cm

Features:

- Shockproof solid acrylic vial
- Lightweight aluminium box profile fits easily into your tool belt or pocket
- Shockproof end caps
- Accuracy: <0.5mm/m
- Available with rare-earth magnets



Stock Code	Size	Packaging	QTY
KP246	10 cm	Carton Display	10
KP246M	10 cm	Carton Display	10



846 CYCLOPS

Pocket Cast Level

Features:

- One Plumb Site® Dual View™ vial
- Two finely milled surfaces with V-grooves
- Rare-earth magnets on each milled surface
- Durable cast aluminium body
- Accuracy: 0.5 mm/m
- Fits in your pocket



Stock Code	Size	Packaging	QTY
KP846		Carded	1



Levels

153 SCREED LEVEL

Screed Level

Features:

- 2 solid acrylic shockproof vials – horizontal and vertical
- Easy Clean™ anodized finish
- Strong aluminium profile
- Tough rubber end caps



Stock Code	Size	Packaging	QTY
KP153150	150 cm	Individual	1
KP153200	200 cm	Individual	1
KP153250	250 cm	Individual	1
KP153300	300 cm	Individual	1

340 POSTRITE® LEVEL

Folding Post Level

Features:

- Folds closed, opens flat
- Click-lock every 15°
- Adjustable elastic strap for non-magnetic surfaces
- 4 powerful magnets for metal surfaces
- For all posts, pipes and signs



Stock Code	Size	Packaging	QTY
KP340	19x13.5 cm	Carded	1

350 PIPE LEVEL

Pipe Level Set

Features:

- For standard metal and plastic pipe sizes
- 2 easy-to-read vials – vertical and horizontal
- Easy slope measurement
- Available in clip strip



Stock Code	Size	Packaging	QTY
KP350	3/4", 1/2", 1", 1 1/2" & 2"	Carded	5



Levels

242 SURFACE LEVEL

Magnetic Cross Surface Level

Features:

- 2 cylindrical vials
- Pre-cast holes for easy attachment



Stock Code	Size	Packaging	QTY
KP242		Carded	1



240 SURFACE LEVEL

Bull's eye

Features:

- Multi-purpose surface level
- Pre-cast holes for easy attachment

Stock Code	Size	Packaging	QTY
KP240		Carded	1



440 LINE LEVEL

Features:

- Especially lightweight to prevent line sag
- V-groove for pipe work
- Handy pocket clip
- Available as a set with 20m cord

Stock Code	Size	Packaging	QTY
KP440		Carded	1



Layout, Marking & Measuring

608 FRAMING TAPE MEASURE

Features:

- Easily centers on corners for accurate diagonal measurements
- Power lock for excellent blade extension
- Convenient belt clip
- Pro Touch™ heavy-duty rubber casing
- One-touch lock mechanism



Stock Code	Size	Packaging	QTY
KP60805	5 m	Clam Shell	1
KP60808	8 m	Clam Shell	1

500 TAPE MEASURE

Features:

- One-touch lock mechanism
- Spring-load blade return
- Convenient belt clip



Stock Code	Size	Packaging	QTY
KP50003	3 m	Clam Shell	1
KP50005	5 m	Clam Shell	1
KP50008	8 m	Clam Shell	1

660 OPEN REEL TAPES

Features:

- Open style for easy wash down
- Heavy duty ABS case
- Marking spike
- Stainless steel end-claw for distance anchoring
- Zero at end hook
- Lengths: 30m, 50m



Stock Code	Size	Packaging	QTY
KP66030	30 m	Individual	1
KP66050	50 m	Individual	1

Layout, Marking & Measuring

314 SET & MATCH®

The Ultimate Layout and Marking Tool

Features:

- Patented Set & Match Ruler
- 2 easy-to-read slide & lock vials – horizontal and vertical
- Slide & lock vial mechanism
- Non-slip foam backing prevents scratching

Applications:

- All DIY home improvement measuring and marking projects
- Setting and aligning shelves, cabinets, mirrors, stencils and wallpaper
- Marking/cutting longer lines on walls, wood, drywall and cardboard
- Marking/cutting angled lines



Stock Code	Size	Packaging	QTY
KP314	60 cm	Carded	1

314 SET & MATCH®

ACCESSORIES

Sliding Knife Guide:

- Combines vertical and horizontal knife guides for accuracy and safety
- Slide along the ruler or lock in place
- Doubles as a pencil guide

Stock Code	Size	Packaging	QTY
KP314H	120cm	Carded	1

T-Square:

- Turn your Set & Match® Ruler into a T-Square with built-in storage and magnetic bar for holding nails and screws

Stock Code	Size	Packaging	QTY
KP314T	120cm	Carded	1



Layout, Marking & Measuring

814 PROLASER® SET-A-SHELF

Set & Match® with Laser Line and Stud Finder

Features:

- Horizontal, vertical, or 45° lines
- 2 easy-to-read vials
- "Click-in-place" lock
- "Slide-and-lock" level markers
- Integrated magnetic stud finder

Applications:

- Hanging shelves, pictures
- Aligning tiles, borders, moldings, trims
- Building decks



Stock Code	Size	Packaging	QTY
KP814	60 cm	Carded	1



313 MEASURE MATE

The Ultimate Home-Improvement Tool

Features:

- Sturdy triangular profile + 2 easy-to-read vials
- Sliding markers – set & transfer measurements
- Sliding knife guide – safe & accurate
- Zero & center point scales
- Nail gripper and drill bit diameter gauge: safe and easy nailing
- Electrical & plumbing scale markings

Applications:

- Levelling
- Aligning cabinets and fixtures
- Cutting
- Centering pictures and fixtures
- Gripping nails
- Electrical & plumbing scale markings for power sockets & faucets



Stock Code	Size	Packaging	QTY
KP31330	30 cm	Carded	1
KP31360	60 cm	Carded	1

Layout, Marking & Measuring

317 ADJUSTABLE T-SQUARE

Sliding Head Adjusts to any Angle

Features:

- Sliding head adjusts to any angle
- ABS end-caps with ledge: hands-free hold, won't flip
- Anodized aluminium finish
- Strong screw lock
- Highly visible, dual directional printed scale (cm/in)
- Etched angle markings on T-head
- Indentation in profile: mark & cut from board edge
- Folds for easy storage
- Double edge, heavy duty blade



Stock Code	Size	Packaging	QTY
KP317	120cm	Individual	1

325 COMBINATION SQUARE

With Magnetic Lock

Features:

- Easy to read vial
- Magnetic lock adjustment
- Stainless steel blade with permanently etched ruler markings (in. and cm)
- 5 milled sides for superior accuracy
- Easy Grip™ magnet-held stainless steel scribe
- Heavy-duty cast zinc body
- Belt holster included



Stock Code	Size	Packaging	QTY
KP325030	30 cm	Clam Shell	1

Layout, Marking & Measuring

301 T-BEVEL

Features:

- Levelling vial
- Built-in 5mm trim gauge on side and bottom
- Stainless steel blade and bolt
- Tough rubber handle inserts
- Inch/cm gradations
- Angle markings on handle

Applications:

- Carpentry and Precision angle marking



Stock Code	Size	Packaging	QTY
KP301		Carded	1

444 RAFTER SQUARE

Features:

- Durable and lightweight Ergocast™ material
- Molded-in conversion tables
- Easy-to-Read gradations
- Base enables easy marking and cutting



Stock Code	Size	Packaging	QTY
KP444	175 mm	Carded	1

309 LEDGEND™ SQUARE

Features:

- Unique support ledge
- High-impact polymer handle
- Permanently etched stainless steel blade
- 22.5°, 45°, 67.5° and 90° angles for beveling and framing
- Inch/cm gradations or cm/cm
- Certified 90°
- Marking point



Stock Code	Size	Packaging	QTY
KP309025	25 cm	Carded	1

Layout, Marking & Measuring

211 CHALK LINE

Features:

- Durable Easygrip™ case
- All-in-one end hook: holds on nails & ledges, tacks into drywall
- Hook docking point
- Smooth rewind
- Clean chalk refill – won't spill
- Wall mount & storage hanger
- Plumb bob design
- 30m line & 85g capacity

Stock Code	Size	Packaging	QTY
KP211		Carded	1



213 ERGONOMIC CHALK LINE

Rubber "nose" holds line taut

Features:

- "Sure Grip" ergonomic handle
- Rubber nose – holds line for perfect string tension
- All-in-one end hook: holds onto nails & ledges, tacks into drywall
- Hook docking point
- Smooth rewind
- Clean chalk refill – won't spill
- Wall mount & storage hanger
- 30m line & 85g capacity

Stock Code	Size	Packaging	QTY
KP213		Blister	1



Layout, Marking & Measuring

214 SURE GRIP CHALK LINE

Sure grip chalk line & level

Features:

- "Sure Grip" ergonomic handle & shockproof bi-material case
- Retractable line level clicks into chalk line
- Extra fast rewind (6:1) with string lock mechanism
- All-in-one end hook: holds on nails & ledges, tacks into drywall
- Neat hook storage
- Clean chalk refill – won't spill
- Wall mount & storage hanger
- 30m line & 113g capacity



Stock Code	Size	Packaging	QTY
KP214		Blister	1

222 CHALK BOTTLES

Available with blue or red chalk

Stock Code	Colour	Packaging	QTY
KP222B	Blue	113g Bottle	1
KP222R	Red	113g Bottle	1



Scanning

389 MULTISCANNER

Electronic Cable, Metal & Stud Sensor

Features:

- Electronic sensors detect live AC wires, metal, studs, wood
- Detection buzzer
- Automatic scan
- Automatic calibration

Applications:

- Detects hidden live AC wires, metal, studs & wood

Detection Depths:

- Live AC wire 50mm
- Metal 75mm
- Wood 18mm
- Metal Pipes 38mm
- Copper Pipes 30mm



Stock Code	Size	Packaging	QTY
KP389		CLAM SHELL	1



992 DIGITAL T-BEVEL 25CM

Precise Angle Measurer and Level

Features:

- Adjustable blade locks at any angle
- Designed for use with power hand-saw
- 180° readout – display remains straight when the level is upside-down
- Reference angle (false zero) for transferring angle measurements
- Easy recalibration
- Anodized aluminium profile
- Accuracy: 0.1°



Stock Code	Size	Packaging	QTY
KP992025	25cm	CLAM SHELL	1

Scanning

383 PROLASER® KAPROMETER K1

Laser Distance Measurer

Features:

- Measures area, distance and volume
- Indirect measuring using Pythagorean theorem
- 2 Measuring reference points
- Memory function
- LCD display

Specifications:

- Accuracy: $\pm 2\text{mm}/30\text{m}$
- Measuring Range: Up to 30m
- Laser class: II
- Batteries: 2 AAA (included)
- Conforms to CE and RoHS safety regulations



Stock Code	Size	Packaging	QTY
KP383		Clam Shell	1

377 KAPROMETER K7

Laser Distance with Bluetooth

Features:

- Measuring distance of up to 100m
- Outdoor measuring distance of up to 10m
- Beamfinder™ flip cover helps you to clearly locate the laser dot on the intended target surface and protect the keypad
- Measures the shortest distance to target with Dynamic (continuous) measuring.
- Measures area and volume
- Indirect measuring using Pythagoras (single & double)
- Choice of 3 reference points
- Advanced memory function
- Impact-resistant rubber over-mold
- Tripod-ready 1/4" thread
- Bluetooth communication and friendly application



Stock Code	Size	Packaging	QTY
KP377		CLAM SHELL	1

Specification:

- Measuring Range: 0.05m-100m
- Accuracy: $\pm 1.5\text{mm}$
- 2AAA batteries
- Laser class: II
- Tripod-ready 1/4" thread
- Conforms to CE and RoHS safety regulations

Laser

810 PROLASER® NAIL GRIPPER™


Line Laser with Nail and Screw Grip

Features:

- Highly visible line laser
- 2 easy-to-read vials
- Patented rubber grip holds any size nail/screw
- Pressure-activated on/off
- Magnetic wristband included for holding nails and screws
- Conforms to CE, RoHS safety regulations

Applications:

- Hanging shelves, pictures and mirrors
- Aligning panels, tiles and wall coverings



Stock Code	Size	Packaging	QTY
KP810		CLAM SHELL	1

893 PROLASER® T-LASER

Clip-on Marking Laser

Features:

- 90° highly visible laser beam
- Spring grip slides onto edge of standard boards 6-16mm
- Pressure-activated power switch
- Manual on/off switch for use as surface laser
- Bi-material molded case with rubber overlay
- Handy belt clip

Applications:

- Marking Drywall and panel board for exact cutting



Stock Code	Size	Packaging	QTY
KP893		CLAM SHELL	1



Laser

862 PROLASER®

2 Beam Self Levelling Laser

Features:


- Vertical, horizontal and cross beams
- Range 30m indoor
- 1/4" tripod thread
- Self-levelling range: $\pm 5^\circ$
- 0.2mm/m

Applications

- Tiling
- Laying cabinet
- Decoration work

Set Includes:

- Laser with tripod 1.3m



Stock Code	Size	Packaging	QTY
KP862		Carded	1
KP862S		Display Box	1

872 PROLASER® PLUS



The Free Standing Cross-Beam Laser

Features:

- Intersecting horizontal and vertical lines at 90°
- Laser Range:
- Indoor – 30m
- Outdoor – 50m with detector
- "Tilt" mode for angular layout/markings
- Strong folding legs for angle mounting and height adjustment
- Self-levelling range: $\pm 5^\circ$
- Accuracy: 0.2mm/m
- Visual and audible "out of level" warning
- 1/4" tripod adaptor
- Shock resistant rubber casing
- Compact size – fits in your toolbox
- 3 AA batteries (not included)
- Laser class: II
- Conforms to CE, RoHS, FDA safety regulations
- Includes belt pouch

Set Includes:

- Laser with tripod 1.3m



Stock Code	Size	Packaging	QTY
KP872		Display Box	1
KP872S		Display Box	SET



Laser

873 PROLASER® VECTOR

Vector Indoor & Outdoor

Features:

- 1 Horizontal and 2 vertical lines at 90° intersections
- "Tilt" mode for angular layout/markings
- Strong folding legs for angle mounting in manual mode and height adjustment
- Self-levelling mechanism
- Visual and audible "out of level" warning
- 1/4" tripod thread
- Shock resistant rubber casing
- Compact size – fits in your toolbox
- Laser range: Indoor – 30m / Outdoor with detector 50m
- Self-leveling range: $\pm 5^\circ$
- Accuracy: 0.2mm/m
- 3 AA batteries (not included)
- Laser class II

Set Includes:

- Laser with pole & tripod up to 3.2m



Stock Code	Size	Packaging	QTY
KP873		Display Box	1
KP873S		Display Box	SET

875 PROLASER® LAYOUT SET

With Hard Case & Tripod

Features:

- Generates five laser lines (1 horizontal and 4 vertical) with intersection on the ceiling and one plumb dot
- Self-levelling range of $\pm 2.5^\circ$
- Tripod ready (5/8")
- Visual and audible warning for "out of level" position
- Manual mode for tilted marking
- Accuracy : 0.2mm/m
- Indoor range : up to 20m
- Outdoor range (with detector): up to 40m
- Optional rechargeable lithium battery
- USB connection for charging the lithium battery

Set Includes:

- Laser
- Tripod
- Laser target
- Beamfinder™ glasses
- 4 AA batteries y



Stock Code	Size	Packaging	QTY
KP875		Display Box	1
KP875S		Case	SET



Laser

833N PROLASER[®] 3D ALL-LINES

360° beams in every direction - Indoor & Outdoor

Features:


- Horizontal 360°, Side vertical 360°, Forward vertical 360°
 - Forward vertical 360°+ Side vertical 360°,
 - Horizontal and verticals all 360°
- Automatic Self-levelling
- Laser lock mode for marking angles
- Laser Range:
 - Indoor – 20m (65')
 - Outdoor with detector - 60m (200')
- Accuracy: $\pm 0.2\text{mm/m}$ (0.0002"/")
- Tripod-ready 1/4" and 5/8" thread

Applications:

- Accurately laying out right angles for flooring, drywall installation and deck construction
- Levelling slopes (manual mode)
- Hanging acoustic ceilings
- Framing and aligning windows and doors

Includes

- Laser target, wall mount, hard carry case
- 4 AA batteries



Stock Code	Size	Packaging	QTY
KP883N		HARD CASE	1

896 PROLASER[®] 5-DOT


Self-levelling laser pointer

Features:

- Five highly visible laser dots: Plumb up & down, 3 level dots at 90° angles
- Small cross projected at each laser dot
- Self levelling range $\pm 4^\circ$
- Tough rubber overlay
- Quick & easy one-button operation
- Laser range: up to 30m with target

Applications:

- Wall stud layout and partition installation
- Electrical outlet and switch layout
- Framing rooms
- Finish carpentry



Includes

- Magnetic multi-function base, laser target, soft carry case

Stock Code	Size	Packaging	QTY
KP896		SOFT CASE	1

Laser

899 PROLASER® SELF-LEVELLING ROTA-LINE

Self-levelling rotary laser level

Features:

- Horizontal or vertical 360° rotating beam
- Electronic self-levelling range of $\pm 5^\circ$ in both X and Y planes
- Manual levelling for marking slopes of up to $\pm 5^\circ$ in both X and Y planes
- Five variable speeds (0 – 600 rpm)
- Six scan modes create visible laser line
- Plumb Down and Plumb Up points
- "Out of range" indicator
- Rainproof casing
- Freestanding or fits onto standard tripod (5/8" thread)

Applications:

- Laying foundations
- Wall, fence and deck construction
- Laying water and sewerage lines
- Indoor layout: installing drywall, partitions, acoustic ceilings

Includes:

- Shockproof case, laser detector and remote control, battery charger, Beamfinder glasses



Stock Code	Size	Packaging	QTY
KP899		HARD CASE	1

Laser Accessories

886-48/38

Tripod for Laser Level

- Professional tripod with scale and vial – up to 2.32 meters (886-48)
- Lightweight tripod with vial – up to 1.2 meters (886-38)



886-48



886-38



886-58

886-58

Pole with Tripod

- Telescoping pole with locking sections
- Maximum height 3.2 meters (10.5")
- Strong lightweight tripod stand with surface level
- Adjustable laser mount with 5/8" UNC thread

894-04

Laser Detector for Red Beams

- For use with Pulse enabled laser tools for extended ranges



Stock Code	Size	Packaging	QTY
KP886-38	1.2m	INDIVIDUAL	1
KP886-48	2.3m	INDIVIDUAL	1
KP886/58	3.2m	INDIVIDUAL	1
KP894		INDIVIDUAL	1

Layout, Marking & Measuring

891 PROLASER® LASER SQUARE

90° Laser Lines

Features:

- Two highly visible laser lines at 90° angle
- One horizontal levelling vial and one surface levelling vial
- Aluminium base
- Straight edge along the base with angle degree markings
- Laser range: up to 30m with target
- Laser accuracy: 0.5mm/m
- Vial accuracy: 1mm/m
- 2 AA batteries (included)
- Laser classification: class II
- CE, RoHs, WEEE, FDA and REACH compliant
- Long lasting – up to 40 hours continuous use
- Includes soft carry case & laser target




Stock Code	Size	Packaging	QTY
KP891		Display Box	1

318 ELECTRICAL OUTLET MARKER

Accurate drywall outlet installation

Features:

- Two easily adjustable, interlocking squares
- Two vials for easy level and plumb alignment
- Vial Accuracy: $\pm 1\text{mm}$
- ABS
- Measuring and marking wall panels for electrical socket installation



Stock Code	Size	Packaging	QTY
KP318	28 x 28cm	Carded	1


Drywall

256-02 PROFESSIONAL HAND CRIMPER

Faster, Safer and Accurate

Features:

- Secure & crimp studs up to 0.8 gauge without fasteners
- Spring loaded handle for single hand use
- Die-Cast aluminium-titanium alloy
- Easy Grip soft plastic handle
- Compact and lightweight design




Stock Code	Size	Packaging	QTY
KP256		Blister	1

255 PROFESSIONAL DRYWALL SAW

Features:

- High carbon spring steel blade for maximum flexibility and precise and fast cutting in both the push and pull motions of the blade
- Local induction hardening process of the teeth to preserve the blade's flexibility and achieve long cutting life
- Sharpened blade tip for punching and cutting drywall
- Ergonomic grip with TPR rubber covered handle
- Blade length 150 mm.



Stock Code	Size	Packaging	QTY
KP255	150mm	Blister	1

258-10 DRYWALL CARRIER

Features:

- Ergonomically designed to allow one person to carry large drywall boards while keeping muscles and back safe
- Includes 2 durable plastic spacers to raise the board 1cm above floor
- Spacer pull-handles allow for fast and easy retraction below the board without any damage
- Spacer docks in the carrier for easy storage and transport



Stock Code	Size	Packaging	QTY
KP258		Carded	1